



## www.GoAVM.com 800-218-3995

		ACCENT SERIES		
Image	Model#	Description	Finish	Case
	B-8150	Two Handle Bar Faucet Lever Handles Gooseneck Style Spout 5-1/4" Reach, 5-13/16" From Deck to Aerator Washerless Cartridge Operation 2 or 3-Hole 4" Installation With 1.5 GPM Flow Rate	Polished Chrome	12
	L-7472 L-7472-BN	Two Handle Lavatory Faucet Lever Handles J Style Rigid Spout 4-1/16" Reach, 3-11/16" From Deck to Aerator Ceramic Disc Cartridges 3-Hole 4" Installation Brass Pop-Up Drain Assembly With 1.5 GPM Flow Rate	Polished Chrome PVD Brushed Nickel	6
	L-7572 L-7572-BN	Two Handle Lavatory Faucet Lever Handles J Style Rigid Spout 4-1/16" Reach, 3-11/16" From Deck to Aerator Ceramic Disc Cartridges 3-Hole 4" Installation Brass Pop-Up Drain Assembly With 1.5 GPM Flow Rate	Polished Chrome PVD Brushed Nickel	6 6
	1	ELITE SERIES		
Image	Model#	Description	Finish	Case
	B-8171	Two Handle Bar Faucet Mini Blade Handles Gooseneck Style Spout 5-1/4" Reach, 5-5/8" From Deck to Aerator Washerless Cartridge Operation 2 or 3-Hole 4" Installation With 1.5 GPM Flow Rate	Polished Chrome	12
	B-8181	Two Handle Bar Faucet Mini Blade Handles Gooseneck Style Spout 3-9/16" Reach, 6-15/16" From Deck to Aerator Washerless Cartridge Operation 2 or 3-Hole 4" Installation With 1.5 GPM Flow Rate	Polished Chrome	12
	L-6161G L-6161G-BN	Single Handle Lavatory Faucet Metal Lever Handle 3-7/8" Reach, 1-3/4" From Deck to Aerator Stainless Steel Ball Operation 3-Hole 4" Installation Brass Grid Drain Assembly With 1.5 GPM Flow Rate	Polished Chrome PVD Brushed Nickel	12





## www.GoAVM.com 800-218-3995

Image	Model#	Description	Finish	Case
T	L-6162 L-6162-BN	Single Handle Lavatory Faucet Metal Lever Handle	Polished Chrome PVD Brushed Nickel	12 12
		3-7/8" Reach, 1-3/4" From Deck to Aerator Stainless Steel Ball Operation		
Test of the second		3-Hole 4" Installation Brass Pop-Up Drain Assembly		
		With 1.5 GPM Flow Rate		
	L-6164	Single Handle Lavatory Faucet	Polished Chrome	12
2		Metal Lever Handle 3-7/8" Reach, 1-3/4" From Deck to Aerator		
		Stainless Steel Ball Operation 3-Hole 4" Installation		
		With Pop-Up Hole and Button		
		With 1.5 GPM Flow Rate		
	P-2300T P-2300T-BN	Single Handle Tub/Shower Trim Set	Polished Chrome PVD Brushed Nickel	12 12
	P-23001-BN	Metal Lever Handle Face Plate	PVD Brushed Nickei	12
		Adjustable Showerhead, Arm & Flange Combo 1/2" IPS/Slip-on Diverter Tub spout		
		With 1.75 GPM Flow Rate Trim Only, Valve Sold Seperately		
		For Use with P-2300B Series Valve		
3	P-2302T P-2302T-BN	Single Handle Shower Trim Metal Lever Handle	Polished Chrome PVD Brushed Nickel	12 12
		Face Plate Adjustable Showerhead, Arm & Flange		
		With 1.75 GPM Flow Rate Trim Only, Valve Sold Seperately		
		For Use with P-2300B Series Valve		
Imaga	Model#	i2 SERIES  Description	Finish	Case
Image	L-6051	Description Single Handle Lavatory Faucet	Polished Chrome	12
	L-6051-BN	Lever Handle 4-3/4" Reach, 2-1/2" From Deck to Aerator	PVD Brushed Nickel	12
		Ceramic Disc Cartridge		
2:		1-Hole Installation Easy-Install 18" Flex Supply Lines With 3/8" Connections		
		With 1.5 GPM Flow Rate		





## www.GoAVM.com 800-218-3995

Image	Model#	Description	Finish	Case
	L-6051G	Single Handle Lavatory Faucet	Polished Chrome	12
	L-6051G-BN	Lever Handle	PVD Brushed Nickel	12
		4-3/4" Reach, 2-1/2" From Deck to Aerator		
		Ceramic Disc Cartridge		
		1-Hole Installation		
		Brass Grid Strainer Drain Assembly		
		Easy-Install 18" Flex Supply Lines With 3/8" Conne With 1.5 GPM Flow Rate		
	L-6052 L-6052-BN	Single Handle Lavatory Faucet	Polished Chrome PVD Brushed Nickel	12 12
	L-0022-BIN	Lever Handle 4-3/4" Reach, 2-1/2" From Deck to Aerator	PVD Brushed Nickei	12
		Ceramic Disc Cartridge		
		1-Hole Installation		
The state of the s		Brass Pop-Up Drain Assembly		
		Easy-Install 18" Flex Supply Lines With 3/8"		
		Connections		
		With 1.5 GPM Flow Rate		
	L-6052-WD	Single Handle Lavatory Faucet	Polished Chrome	12
	L-6052-WD-BN	Lever Handle 4-3/4" Reach, 2-1/2"	PVD Brushed Nickel	12
		From Deck to Aerator Ceramic Disc Cartridge		
		1-Hole Installation Brass Pop-Up Drain Assembly		
		Easy-Install 18" Flex Supply Lines With 3/8"		
4		Connection s 1 or 3 Hole 4" Installation		
		Deck Cover Plate Included		
		With 1.5 GPM Flow Rate		
	P-2370T	   Single Handle Tub/Shower Trim Set	Polished Chrome	12
	P-2370T-BN	Lever Handle	PVD Brushed Nickel	12
		Face Plate		
		Single Function 3-3/4" Showerhead, Arm & Flange		
		Combo 1/2" IPS/Slip-On Diverter Tub Spout		
		With 1.75 GPM Flow Rate		
		Trim Only, Valve Sold Separately		
		For Use with P-2300B Series Valves		
	P-2372T	Single Handle Shower Trim Set	Polished Chrome	12
(3)	P-2372T-BN	Lever Handle	PVD Brushed Nickel	12
(313)		Face Plate		
		Single Function 3-3/4" Showerhead, Arm		
400		& Flange		
		With 1.75 GPM Flow Rate Trim Only, Valve Sold Seperately		
		Trim Only, valve 3010 Seperately		
Ji Di		For Use with P-2300B Series Valve		
		\(\lambda_1\)\(\lambda_2\)		
		VALVE		
Image	Model#	Description	Finish	Case
	P-2300B-B	Single Handle Tub/Shower Valve Combo CXC and IPS Inlet and Outlet Connections		12
		Pressure Balance Spool Included		
		Brass Inlet Stops		
		Ceramic Disc Cartridge With Temperature		
		Limit Stop Builder Tract Pack		
		Washerless Cartridge Operation		